## **AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions, and listings, of claims in the application:

## **Listing of Claims:**

| 1  | 1. (Currently amended) A computer system for tracking network behavior,            |
|----|--|
| 2  | comprising:  |
| 3  | a processor; and   |
| 4  | a storage device storing memory that stores:                                       |
| 5  | a connection table that maps each node host of a network to a                      |
| 6  | record that stores information about traffic to or from the node and               |
| 7  | between that node and other nodes traffic information from the host to             |
| 8  | other hosts or from the other hosts to the host in the network for a               |
| 9  | specified time interval, and   |
| 10 | a profile table that stores historical traffic information as                      |
| 11 | exponentially weighted moving average values; and                                  |
| 12 | stores information indicating whether the node is operating as a                   |
| 13 | client or a server.  |
| 14 | a merging mechanism configured to merge the record associated with each            |
| 15 | host for the specified time interval from the connection table into the historical |
| 16 | traffic information in the profile table.  |
|    |  |
| 1  | 2. (Previously presented) The computer system of claim 1 wherein the               |
| 2  | connection table includes a plurality of records that are indexed by source        |
| 3  | address.   |

| 1 | 3. (Previously presented) The computer system of claim 1 wherein the                  |
|---|---|
| 2 | connection table includes a plurality of records that are indexed by destination      |
| 3 | address.  |
|   |   |
| 1 | 4. (Previously presented) The computer system of claim 1 wherein the                  |
| 2 | connection table includes a plurality of records that are indexed by time.            |
|   |   |
| 1 | 5. (Previously presented) The computer system of claim 1 wherein the                  |
| 2 | connection table includes a plurality of records, that are record objects, which are  |
| 3 | indexed by source address, destination address and time.                              |
|   |   |
| 1 | 6. (Previously presented) The computer system of claim 1 wherein the                  |
| 2 | connection table is a plurality of connection sub-tables each sub-table having data   |
| 3 | pertaining to network traffic over different time scales.                             |
|   |   |
| 1 | 7. (Previously presented) The computer system of claim 6 wherein the                  |
| 2 | connection sub-tables include a time-slice connection table that operates on a        |
| 3 | small unit of time and at least one other sub-table that operates on a larger unit of |
| 4 | time than the time slice sub-table.   |

- 8. (Previously presented) The computer system of claim 7 wherein the at least one other sub-table holds records received from collectors over the time scale of the table.
- 9. (Previously presented) The computer system of claim 5 wherein an address indexing the connection table comprises an IP address.

| 1 | 10 (Previously presented) The computer system of claim 1 wherein an           |
|---|---|
| 2 | address indexing the connection table includes a physical layer address to IP |
| 3 | address map that is used to determine Host ID.                                |

- 11. (Previously presented) The computer system of claim 1 wherein a host record of a first host maps that first host to a second host that communicates with the first host to a host pair record object that has information about traffic from the first to the second host and from the second host to the first host.
- 12. (Previously presented) The computer system of claim 1 wherein the connection table includes two level mapping that enables a consuming device to obtain summary information about one host for a first level mapping and about traffic between any pair of hosts, in either direction, between a first host of the any pair to a second host of the any pair and from the second host of the any pair to the first host of the any pair for a second level mapping.
- 13. (Previously presented) The computer system of claim 1 wherein the connection table comprises a plurality of host records, a host record stores a measure of the number of bytes, packets, and connections that occurred between hosts during a time-period.
- 14. (Previously presented) The computer system of claim 13, wherein data in the host record is organized by well known transport protocols and well-known application-level protocols.
- 15. (Previously presented) The computer system of claim 13, wherein host records have no specific memory limit.

| 1  | 16. (Previously presented) The computer system of claim 1 wherein for                |
|----|--|
| 2  | application-level protocols and for every pair of hosts, the connection table stores |
| 3  | statistics for traffic between hosts.  |
| 1  | 17. (Previously presented) The computer system of claim 16 wherein the               |
| 2  | connection table stores protocol-specific records as (protocol, count) key-value     |
| 3  | pairs.   |
| 1  | 18. (Currently amended) A computer system for tracking network                       |
| 2  | behavior, the computer system comprising:  |
| 3  | a processor; and   |
| 4  | a storage device storing memory that stores:   |
| 5  | a connection table that maps each node host of a network to a                        |
| 6  | record that stores connection information about traffic to or from the node          |
| 7  | and between that node and other nodes that have connections with the                 |
| 8  | node traffic information from the host to other hosts or from the other              |
| 9  | hosts to the host in the network for a specified time interval, and                  |
| 10 | stores information indicating whether the node is operating as a                     |
| 11 | client or as a server,   |
| 12 | wherein the connection table table is indexed according to                           |
| 13 | at least a first one one or more of source address, destination                      |
| 14 | address and timea specified time interval, and                                       |
| 15 | wherein the connection table further including in the                                |
| 16 | includes records fields for storing statistical information for traffic              |
| 17 | between hosts: the hosts; and  |
| 18 | a profile table that stores historical traffic information as                        |
| 19 | exponentially weighted moving average values; and                                    |

| 20 | a merging mechanism configured to merge the record associated with each               |
|----|---|
| 21 | host for the specified time interval from the connection table into the historical    |
| 22 | traffic information in the profile table.   |
|    |   |
| 1  | 19 (Previously presented) The computer system of claim 18 wherein the                 |
| 2  | plurality of records is record objects.   |
| 1  | 20. (Previously presented) The computer system of claim 18 wherein the                |
| 2  | connection table is a second plurality of connection sub-tables, each sub-table       |
| 3  | having data pertaining to network traffic over different ones of corresponding        |
| 4  | second plurality of time scales.  |
|    |   |
| 1  | 21. (Previously presented) The computer system of claim 18 wherein the                |
| 2  | connection sub-tables include a time-slice connection table that operates on a        |
| 3  | small unit of time and at least one other sub-table that operates on a larger unit of |
| 4  | time than the time slice sub-table.   |
|    |   |
| 1  | 22. (Previously presented) The computer system of claim 18 wherein the                |
| 2  | at least one other sub-table holds records received from collectors in the network    |
| 3  | over the time scale of the table.   |
|    |   |
| 1  | 23. (Previously presented) The computer system of claim 18 wherein an                 |
| 2  | address indexing the connection table comprises an IP address.                        |
|    |   |
| 1  | 24. (Previously presented) The computer system of claim 23 wherein an                 |
| 2  | address indexing the connection table includes a physical layer address to IP         |
| 3  | address map that is used to determine Host ID.  |
| 4  |   |

| 5 | 25. (Previously presented) The computer system of claim 18 wherein a                  |
|---|---|
| 6 | host record of a first host maps that first host to a second host that communicates   |
| 7 | with the first host to a host pair record that has information about traffic from the |
| 8 | first to the second host and from the second host to the first host.                  |

- 26. (Previously presented) The computer system of claim 18 wherein the connection table includes two level mapping that enables a consuming device to obtain summary information about one host for a first level mapping and about the traffic between any pair of hosts, in either direction, between a first host of the any pair to a second host of the any pair and from the second host of the any pair to the first host of the any pair for a second level mapping.
- 27. (Previously presented) The computer system of claim 18 wherein the connection table comprises a plurality of host records, a host record stores, a measure of the number of bytes, packets, and connections that occurred between hosts during a time-period.
- 28. (Previously presented) The computer system of claim 27 wherein data in the host record is organized by well known transport protocols and well-known application-level protocols.
- 29. (Previously presented) The computer system of claim 28 wherein for application-level protocols and for every pair of hosts, the connection table stores statistics for traffic between hosts.
- 30 (Previously presented) The computer system of claim 28 wherein the connection table stores protocol-specific records as (protocol, count) key-value pairs.